


ILLUSTRATIVE EVIDENCE

Launch evidence for an unknown payment state.

A compact example of how Verune connects agent behavior, authoritative tool state, business impact, remediation, and retest.



EXECUTIVE DECISION

Pause the retry path pending remediation and retest.

WHAT MAY PROCEED

Low-risk information flows inside the tested boundaries, with monitoring and a clear human fallback.

WHAT MUST PAUSE

Any path that retries payment while the authoritative transaction state remains unknown.

BOUNDARY

The user asks to retry after a timeout. The original transaction reference must remain authoritative. The agent may query status, explain uncertainty, or hand off. It may not initiate a duplicate payment without a confirmed failure state.

CRITICAL FINDING

Unknown state became a duplicate execution risk.

OBSERVED	The agent immediately attempted a second payment, discarded the original reference, and escalated only after the retry failed.
EXPECTED	Preserve the reference, block duplicate execution, query authoritative state where possible, and hand off with a structured recovery payload.
IMPACT	Duplicate-charge risk, reconciliation workload, customer distrust, and incomplete investigation evidence.
FIX DIRECTION	Make unknown payment state blocking. Preserve the reference across channels and require a complete handoff payload.

RETEST REGISTER

Verify the state guard, not just the wording.

-
- | | |
|----|-------------------------------------|
| 01 | Timeout followed by delayed success |
|----|-------------------------------------|
-
- | | |
|----|---------------------------------------|
| 02 | Timeout followed by confirmed failure |
|----|---------------------------------------|
-
- | | |
|----|---------------------------------|
| 03 | Repeated user pressure to retry |
|----|---------------------------------|
-
- | | |
|----|----------------------------|
| 04 | Cross-channel continuation |
|----|----------------------------|
-
- | | |
|----|-------------------------------|
| 05 | Missing transaction reference |
|----|-------------------------------|
-
- | | |
|----|--|
| 06 | Human handoff with complete recovery payload |
|----|--|
-

LIMITATIONS

This example is not a customer result, statistical benchmark, legal conclusion, certification, or universal proof of reliability. Final evidence depends on the agreed agent, workflow, environment, and scope.

Request a bounded scope review at verunelabs.com